

Certificate of Constancy of Performance



Certificate No.: 0757-CPR-229IFT-9010719-1-4

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction products Regulation or CPR), this certificate applies to the construction product

Door hinges

Product description/
specification

Dynamica Typ 28, 28 F, 29, 29 F, 40, 40 F, 43, 43 F with and without backcheck

According to configuration in annex 1

Levels and classes of
performance

According to configuration in annex 1

Intended use(s)

Intended for use on doors in escape routes with and without requirements for fire resistance and smoke control

placed on the market
under the name or trade
mark of

Fratelli Garletti s.r.l.

Via Cavour 155, I-25082 Botticino Sera BS

and produced in the
manufacturing plant(s)

Fratelli Garletti s.r.l.

Via Cavour 155, I-25082 Botticino Sera BS

Notified body No.
EC-Reference-No.

0757


This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard(s)

EN 1935 : 2002

under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the **constancy of performance of the construction product.**

This certificate was first issued on 08 June 2015 and will remain valid until 06 November 2021, as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

The use of this certificate and the marking of the products are bound by an existing certification and surveillance contract with the **ift** Rosenheim no. 229IFT 9010719.


Prof. Ulrich Sieberath
Director






Christian Kehrer
Head of notified product certification body

ift Rosenheim
07 November 2018

Basis:
EN 1935:2002 für Türbänder



2018-01 / 1062



www.ec.europa.eu



www.ift-rosenheim.de

Certificate of constancy of performance

Annex 1 Page 1 of 4
Certificate holder: Fratelli Garletti s.r.l.
Date of issue: 07 November 2018



Certificate No.: 0757-CPR-229IFT-9010719-1-4

Compilation of locks:

No. 1

Product designation: **Dynamica Type 28 with and without backcheck**
Hinge type: 2-parts door hinge
Material: Aluminium
Fastening: Screwed to the casement with 2 screws M8 x 30 mm,
screwed to the sash with 3 screws M8 x 12 mm
Test report: 14-003368-PR01 of 03 August 2016

Classification:	4	7	7	0	1	4	1	14
-----------------	---	---	---	---	---	---	---	----

Intended use: Intended for use on doors in escape routes without requirements for fire resistance and smoke control

No. 2

Product designation: **Dynamica Type 28 F with and without backcheck**
Hinge type: 2-parts door hinge
Material: Aluminium
Fastening: Screwed to the casement with 2 screws M8 x 30 mm,
screwed to the sash with 3 screws M8 x 12 mm
Test report: 14-003368-PR03 of 03 August 2016

Classification:	4	7	7	1	1	4	1	14
-----------------	---	---	---	---	---	---	---	----

Intended use: Intended for use on doors in escape routes with requirements for fire resistance and smoke control

Certificate of constancy of performance

Annex 1 Page 2 of 4
Certificate holder: Fratelli Garletti s.r.l.
Date of issue: 07 November 2018



Certificate No.: 0757-CPR-229IFT-9010719-1-4

No. 3

Product designation: **Dynamica Type 29 with and without backcheck**
Hinge type: 2-parts door hinge
Material: Aluminium
Fastening: Screwed to the casement with 2 screws M8 x 30 mm,
screwed to the sash with 3 screws M8 x 12 mm
Test report: 14-003368-PR01 of 03 August 2016

Classification:	4	7	7	0	1	4	1	14
-----------------	---	---	---	---	---	---	---	----

Intended use: Intended for use on doors in escape routes without requirements for fire resistance and smoke control

No. 4

Product designation: **Dynamica Type 29 F with and without backcheck**
Hinge type: 2-parts door hinge
Material: Aluminium
Fastening: Screwed to the casement with 2 screws M8 x 30 mm,
screwed to the sash with 3 screws M8 x 12 mm
Test report: 14-003368-PR03 of 03 August 2016

Classification:	4	7	7	1	1	4	1	14
-----------------	---	---	---	---	---	---	---	----

Intended use: Intended for use on doors in escape routes with requirements for fire resistance and smoke control

Certificate of constancy of performance

Annex 1 Page 3 of 4
Certificate holder: Fratelli Garletti s.r.l.
Date of issue: 07 November 2018



Certificate No.: 0757-CPR-229IFT-9010719-1-4

No. 5

Product designation: **Dynamica Type 40 with and without backcheck**
Hinge type: 2-parts door hinge
Material: Aluminium
Fastening: Screwed to the casement with 2 screws M8 x 30 mm,
screwed to the sash with 3 screws M8 x 12 mm
Test report: 14-003368-PR01 of 03 August 2016

Classification:	4	7	7	0	1	4	1	14
-----------------	---	---	---	---	---	---	---	----

Intended use: Intended for use on doors in escape routes without requirements for fire resistance and smoke control

No. 6

Product designation: **Dynamica Type 40 F with and without backcheck**
Hinge type: 2-parts door hinge
Material: Aluminium
Fastening: Screwed to the casement with 2 screws M8 x 30 mm,
screwed to the sash with 3 screws M8 x 12 mm
Test report: 14-003368-PR03 of 03 August 2016

Classification:	4	7	7	1	1	4	1	14
-----------------	---	---	---	---	---	---	---	----

Intended use: Intended for use on doors in escape routes with requirements for fire resistance and smoke control

Certificate of constancy of performance

Annex 1 Page 4 of 4
Certificate holder: Fratelli Garletti s.r.l.
Date of issue: 07 November 2018



Certificate No.: 0757-CPR-229IFT-9010719-1-4

No. 7

Product designation: **Dynamica Type 43 with and without backcheck**
Hinge type: 2-parts door hinge
Material: Aluminium
Fastening: Screwed to the casement with 2 screws M8 x 30 mm,
screwed to the sash with 3 screws M8 x 12 mm
Test report: 14-003368-PR01 of 03 August 2016

Classification:	4	7	7	0	1	4	1	14
-----------------	---	---	---	---	---	---	---	----

Intended use: Intended for use on doors in escape routes without requirements for fire resistance and smoke control

No. 8

Product designation: **Dynamica Type 43 F with and without backcheck**
Hinge type: 2-parts door hinge
Material: Aluminium
Fastening: Screwed to the casement with 2 screws M8 x 30 mm,
screwed to the sash with 3 screws M8 x 12 mm
Test report: 14-003368-PR03 of 03 August 2016

Classification:	4	7	7	1	1	4	1	14
-----------------	---	---	---	---	---	---	---	----

Intended use: Intended for use on doors in escape routes with requirements for fire resistance and smoke control