

# Certificate of Constancy of Performance



Certificate No.: 0757-CPR-229EG-9010719-1-5

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction products Regulation or CPR), this certificate applies to the construction product

## Door hinges

Product description/  
specification

**Dynamica Typ 28, 28 F, 29, 29 F, 40, 40 F, 43, 43 F with and without backcheck**

According to configuration in **annex 1**

Levels and classes of  
performance

According to configuration in **annex 1**

Intended use(s)

Intended for use on doors in escape routes with and without requirements for fire resistance and smoke control

placed on the market  
under the name or trade  
mark of

**Fratelli Garletti s.r.l.**

Via Cavour 155, IT-25082 Botticino Sera BS

and produced in the  
manufacturing plant(s)

**Fratelli Garletti s.r.l.**

Via Cavour 155, IT-25082 Botticino Sera BS

Notified body No.  
EC-Reference-No.

**0757**

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard(s)

**EN 1935 : 2002**


under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the **constancy of performance of the construction product**.

This certificate was first issued on 08.06.2015 and will remain valid until 06.11.2024, as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

The use of this certificate and the marking of the products are bound by an existing certification and surveillance contract with the **ift Rosenheim** no. 229EG 9010719.


*Christian Kehrer*

Christian Kehrer  
Head of notified product certification body  
**ift Rosenheim**  
07.11.2021



**Basis:**

EN 1935:2002-02/AC:2003-12



[www.ec.europa.eu](http://www.ec.europa.eu)

**Identity check**



[www.ift-rosenheim.de/ift-zertifiziert](http://www.ift-rosenheim.de/ift-zertifiziert)  
ID: 2AF-7F317

# Certificate of constancy of performance

Annex 1 Page 1 of 4  
Certificate holder: Fratelli Garletti s.r.l.  
Date of issue: 07.11.2021



Certificate No.: 0757-CPR-229EG-9010719-1-5

## Compilation of hinges

No. 1

Product designation: **Dynamica Type 28 with and without backcheck**  
Hinge type: 2-parts door hinge  
Material: Aluminium  
Fastening: Screwed to the casement with 2 screws M8 x 30 mm,  
screwed to the sash with 3 screws M8 x 12 mm  
Test report: 14-003368-PR01 of 03 August 2016

Classification:	4	7	7	0	1	4	1	14
-----------------	---	---	---	---	---	---	---	----

Intended use: Intended for use on doors in escape routes without requirements for fire resistance and smoke control

No. 2

Product designation: **Dynamica Type 28 F with and without backcheck**  
Hinge type: 2-parts door hinge  
Material: Aluminium  
Fastening: Screwed to the casement with 2 screws M8 x 30 mm,  
screwed to the sash with 3 screws M8 x 12 mm  
Test report: 14-003368-PR03 of 03 August 2016

Classification:	4	7	7	1	1	4	1	14
-----------------	---	---	---	---	---	---	---	----

Intended use: Intended for use on doors in escape routes with requirements for fire resistance and smoke control

# Certificate of constancy of performance

Annex 1 Page 2 of 4  
Certificate holder: Fratelli Garletti s.r.l.  
Date of issue: 07.11.2021



Certificate No.: 0757-CPR-229EG-9010719-1-5

No. 3

Product designation: **Dynamica Type 29 with and without backcheck**  
Hinge type: 2-parts door hinge  
Material: Aluminium  
Fastening: Screwed to the casement with 2 screws M8 x 30 mm,  
screwed to the sash with 3 screws M8 x 12 mm  
Test report: 14-003368-PR01 of 03 August 2016

Classification:	4	7	7	0	1	4	1	14
-----------------	---	---	---	---	---	---	---	----

Intended use: Intended for use on doors in escape routes without requirements for fire resistance and smoke control

No. 4

Product designation: **Dynamica Type 29 F with and without backcheck**  
Hinge type: 2-parts door hinge  
Material: Aluminium  
Fastening: Screwed to the casement with 2 screws M8 x 30 mm,  
screwed to the sash with 3 screws M8 x 12 mm  
Test report: 14-003368-PR03 of 03 August 2016

Classification:	4	7	7	1	1	4	1	14
-----------------	---	---	---	---	---	---	---	----

Intended use: Intended for use on doors in escape routes with requirements for fire resistance and smoke control

# Certificate of constancy of performance

Annex 1 Page 3 of 4  
Certificate holder: Fratelli Garletti s.r.l.  
Date of issue: 07.11.2021



Certificate No.: 0757-CPR-229EG-9010719-1-5

No. 5

Product designation: **Dynamica Type 40 with and without backcheck**  
Hinge type: 2-parts door hinge  
Material: Aluminium  
Fastening: Screwed to the casement with 2 screws M8 x 30 mm,  
screwed to the sash with 3 screws M8 x 12 mm  
Test report: 14-003368-PR01 of 03 August 2016

Classification:	4	7	7	0	1	4	1	14
-----------------	---	---	---	---	---	---	---	----

Intended use: Intended for use on doors in escape routes without requirements for fire resistance and smoke control

No. 6

Product designation: **Dynamica Type 40 F with and without backcheck**  
Hinge type: 2-parts door hinge  
Material: Aluminium  
Fastening: Screwed to the casement with 2 screws M8 x 30 mm,  
screwed to the sash with 3 screws M8 x 12 mm  
Test report: 14-003368-PR03 of 03 August 2016

Classification:	4	7	7	1	1	4	1	14
-----------------	---	---	---	---	---	---	---	----

Intended use: Intended for use on doors in escape routes with requirements for fire resistance and smoke control

# Certificate of constancy of performance

Annex 1 Page 4 of 4  
Certificate holder: Fratelli Garletti s.r.l.  
Date of issue: 07.11.2021



Certificate No.: 0757-CPR-229EG-9010719-1-5

No. 7

Product designation: **Dynamica Type 43 with and without backcheck**  
Hinge type: 2-parts door hinge  
Material: Aluminium  
Fastening: Screwed to the casement with 2 screws M8 x 30 mm,  
screwed to the sash with 3 screws M8 x 12 mm  
Test report: 14-003368-PR01 of 03 August 2016

Classification:	4	7	7	0	1	4	1	14
-----------------	---	---	---	---	---	---	---	----

Intended use: Intended for use on doors in escape routes without requirements for fire resistance and smoke control

No. 8

Product designation: **Dynamica Type 43 F with and without backcheck**  
Hinge type: 2-parts door hinge  
Material: Aluminium  
Fastening: Screwed to the casement with 2 screws M8 x 30 mm,  
screwed to the sash with 3 screws M8 x 12 mm  
Test report: 14-003368-PR03 of 03 August 2016

Classification:	4	7	7	1	1	4	1	14
-----------------	---	---	---	---	---	---	---	----

Intended use: Intended for use on doors in escape routes with requirements for fire resistance and smoke control